

**SYLVANIX OUTDOOR PRODUCTS
INC. Soar Signature Cladding- Trim &
Installation Options**



Finishing Project Edges

When installing Soar Signature Cladding, there are multiple trim options to begin and terminate the cladding boards on the right & left sides of cladding area.

Option 1

Inside Corner Vertical- While also being used to join cladding boards at Inside Corner areas, this trim can be used to begin & end cladding boards at project sides for a clean finished look.



Finishing Project Edges

Option 2

Inside Corner Horizontal- While also being used to join cladding boards at Inside Corner areas, this trim can be used to begin & end cladding boards at project sides for a clean finished look.

All Horizontal trims have more coverage for horizontal cladding movement, but can be used for vertical applications as well.




This dimension is proud of cladding boards, & covers any board movement

Finishing Project Edges



Option 3

End Trim Vertical- End Trim can be used to begin or terminate cladding boards around a corner, or at the center of a wall. The wrap around “edge” can be ripped to any desired size



This edge can be ripped to size

Outer Edge





Finishing Project Edges

Option 4

F-Trim Horizontal- F-Trim can be used to begin or terminate cladding boards around a corner, or at the center of a wall.

This trim features a wrap-around "edge" that can be ripped to any desired size, and has more coverage for horizontal installations.





Trim For Outside Corners

When installing Soar Signature Cladding, there are 2 trim options to continue a run of cladding boards around an outside corner

Option 1

Outside Corner Vertical- Outside Corner Vertical trim is used to continue cladding boards around an outside corner, maintaining the Soar Signature appearance.




Trim For Outside Corners

Option 2

Outside Corner Horizontal- Outside Corner Horizontal trim is used to continue cladding boards around an outside corner.

This profile has more coverage for horizontal movement, but can also be used for vertical installations.



Trim For Windows Openings

When installing Soar Signature Cladding, there are multiple trim options to finish Sylvanix cladding boards around window openings.

Option 1

Inside Corner Vertical- The Inside Corner Vertical trim can be used as trim around windows.



Trim For Windows Openings

Option 2

Inside Corner Horizontal- The Inside Corner Horizontal trim can be used as trim around windows.

This trim will be proud of the cladding boards, as this profile allows the boards to fit inside the trim.



Trim For Windows Openings

Option 3

No Sylvanix Trim- Using Sylvanix trim around windows is optional. Other exterior trim products can be used in conjunction with Soar Signature such as PVC, Wood, Aluminum, or other.

